

Northwest Four States (NWF) Version 9.30.20.1 RS FORM

NWF Local Business Rules Version: 9.30.20.1

Effective: 05/01/2020

RS FORM

Contents

Section: ADMINISTRATIVE	4
RSQTY - Resale Quantity	4
Section: SERVICE DETAIL	4
LOCNUM - Location Number	4
LNUM - Line Number	4
NPI - Number Portability Indicator	5
LNA - Line Activity	5
TNS - Telephone Numbers	7
TERS - Terminal Numbers	8
OTN - Out Telephone Number	8
EXKEY - Exchange Key	8
TSP - Telecommunications Service Priority	8
SAN - Subscriber Authorization Number	9
CKR - Customer Circuit Reference	g
ECCKT - Exchange Company Circuit ID	g
RL - Reuse Loop	10
OECCKT - Out Exchange Company Circuit ID	10
FPI - Freeze PIC Indicator	10
PIC - InterLATA Presubscription Indicator Code	11
LPIC - IntraLATA Presubscription Indicator Code	11
TC OPT - Transfer of Call Options	12
TC TO PRI - Transfer of Calls To Primary Number	12
TC TO SEC - Transfer of Calls To Secondary Number	12
TC PER - Transfer of Calls Period	12
TCID - Transfer of Calls To Identifier	13
TC NAME - Transfer of Calls To Name	13
TCID 2 - Transfer of Calls To Identifier 2	13
TCNAME 2 - Transfer of Calls To Name 2	13

Version: 9.30.20.1

RS FORM

Effective: 05/01/2020

NIDR - NID Request	14
IWJK - Inside Wire Jack Code	
IWJQ - Inside Wire Jack Quantity	14
SSIG - Start Signaling	14
LSCP - Local Service Provider Change Prohibited	15
BA - Blocking Activity	15
BLOCK - Block	15
OPRSVC	16
FA - Feature Activity	
FEATURE - Feature Codes	17
FEATURE DETAIL - Feature Detail	18
APPENDIX A: ERROR MESSAGE TABLE	19
APPENDIX B - CHANGE CONTROL LOG	23

NWF Local Business Rules Version: 9.30.20.1

RS FORM

Effective: 05/01/2020

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
Secti	on: ADMINI	STRATIVE					
001	PON					FIELD NOT SUPPORTED	Р
002	VER					FIELD NOT SUPPORTED	Р
003	AN					FIELD NOT SUPPORTED	Р
004	ATN					FIELD NOT SUPPORTED	Р
005	RSQTY - Resale Quantity	Identifies the quantity of resale services (e.g., lines, circuits, trunks, etc.) involved in this service request.	N	1-5		 If not populated, then return error: NWFRS001 RSQTY IS REQUIRED If populated and (dl > 5 or dc not numeric), then return error: NWFRS002 RSQTY VALID VALUE = 1-5 NUMERIC 	R
006	ORD	request.				FIELD NOT SUPPORTED	Р
007	PG_ of_					FIELD NOT SUPPORTED	P
	on: SERVIC	E. DETAIL.				TILLED NOT OUT ONTED	<u> </u>
008	LOCNUM - Location Number	Identifies this service location number for the service requested.	N	1-3		1. If not populated, then return error: NWFRS003 LOCNUM IS REQUIRED 2. If populated and (dl > 3 or dc not numeric), then return error: NWFRS004 LOCNUM VALID VALUE = 1-3 NUMERIC Note: The Location Number is assigned by the customer and is retained until the service is disconnected	R
009	LNUM - Line Number	Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.	N	1-5		1. If not populated, then return error: NWFRS005 LNUM IS REQUIRED 2. If populated and (dl > 5 or dc not numeric), then return error: NWFRS006 LNUM VALID VALUE = 1-5 NUMERIC Note: 1. The LNUM is customer assigned and is returned on the Confirmation to the ordering customer. 2. Once LNUM is generated it cannot be changed and is retained through completion of the request. 3. The values are to be assigned consecutively and must be unique throughout the request at the LOCNUM field level. 4. The RNEX field may be used when multiple ISDN directory numbers (TNs) are assigned to a single ISDN BRI line for one service order PON/LNUM.	R

Version: 9.30.20.1 Effective: 05/01/2020

	Cersion. 9.30.20.1								
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P		
010	NPI - Number Portability Indicator	Identifies the status of the telephone number being ported.	A	1-1	C=Port in working TN E=Port in wireless TN F=Not Applicable	 1.If populated and vv not = C, F and LSR.NPDI = D, then return error: NWFRS007 NPI VALID VALUE = C, F WHEN NPDI = D 2. If populated and vv not = E, F and LSR.NPDI = B, return error: NWFRS008 NPI VALID VALUE = E, F WHEN NPDI = B 3. If not populated and LSR.NPDI = B, D, then return error: NWFRS009 NPI IS REQUIRED 4. If populated and LSR.NPDI not = B, D, then return error: NWFRS010 NPI IS PROHIBITED Note: 	0		
011	LNA - Line Activity	Identifies the activity involved at the line level.	A	1-1	B=Restore C= Change, e.g., rearrangement, feature activity D=Disconnection S=Seasonal (Seasonal Suspend) N= New installation and/or account P=PIC Change S=Suspend (non-pay) T= Outside move of end user location V= Conversion of service to new LSP as specified W= Conversion as is X= Telephone number change Y=Deny/Suspend (non-pay) Z=Restructure	Reserved numbers can only be ported when associated with an active account. 1. If not populated, then return error: NWFRS011 LNA IS REQUIRED 2. If populated and vv = C and HGI form not populated and FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, FA, NIDR are not populated, then return error: NWFRS012 WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, IWJK, FA, NIDR MUST BE POPULATED 3. If vv not = B, Y and LSR.ACT = B, then return error: NWFRS013 LNA VALID VALUE = B, Y WHEN ACT = B 4. If populated and vv does not = C, N, D, P, T, X, Z and LSR.ACT=C, return error NWFRS014 LNA VALID VALUE = C, N, D, P, T, X, Z 5. If populated and vv not = C, X and LSR.ACT = C and LSR.AC = B, C, then return error: NWFRS015 LNA VALID VALUE = C, X WHEN ACT = C AND AC = B, C 6. If vv not = N and LSR.ACT = N, T, and NPANXX Flag does not = F, then return error: NWFRS016 LNA VALID VALUE = N WHEN ACT = N, T	R		

RS FORM

Version: 9.30.20.1 Effective: 05/01/2020

AGI 2						Ellective. 03/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
						7. If vv not = S and LSR.ACT = S, then return error: NWFRS017 LNA VALID VALUE = S WHEN ACT = S	
						8. If vv not = N, V, W, D and LSR.ACT = V, then return error: NWFRS018 LNA VALID VALUE = N, V, W, D WHEN ACT = V	
						9. If vv not = Y and LSR.ACT = Y, then return error: NWFRS020 LNA VALID VALUE = Y WHEN ACT = Y	
						10. If populated and vv = T and LSR.ACT = B, N, S, V, W, Y, then return error: NWFRS021 LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY	
						11. If populated and vv = Z and (LSR.ACT not = C or LSR.AC not = A), then return error: NWFRS023 LNA VALID VALUE = Z IS PROHIBITED	
						12. If populated and vv does not = B, C, D, N, P, S, T, V, W, X, Y, Z, return error: NWFRS024 LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Y, Z	
						13.If populated and vv does not = N,D,T and DDDO is populated, return error NWFRS105 LNA VALID VALUE = N,D,T WHEN DDDO IS POPULATED	
						14.If populated and vv = N,D and LSR.REQTYP=EB, LSR.ACT=V and position 2 of LSR.TOS=C, return error NWFRS128 LNA CANNOT = N,D WHEN REQTYP=EB, ACT=V AND POSITION 2 OF TOS=C	
						15.If populated and vv does not = N, T and position 1 of LSR.REQTYP = E and LSR.ACT = T, and the NPANXX Flag = F, then return error: NWFRS031 LNA VALID VALUE = N, T WHEN ACT = T	
						16.If populated and vv does not = C, D, N, X and ACT = M, then return error NWFRS019 LNA VALID VALUE = C, D, N, X WHEN ACT = M	
012	LTOS					FIELD NOT SUPPORTED	Р

RS FORM

Version: 9.30.20.1 Effective: 05/01/2020

RS FORM

Field Name Nbr Pield Name Char Pield Length Values O13 SOE O14 NOTYP O15 TNS - Telephone Numbers Numbers Pielphone number or consecutive range of telephone numbers for this request. Field Values Values AN	FIELD NOT SUPPORTED FIELD NOT SUPPORTED change ne Number 1.If populated and vv = N and ((LNA not = C, N, X) and (position 2 of LSR.TOS not = D, E, J or position 4 of LSR.TOS not = F, R, W)) or EU.AAI does not = NEW ADDR, return error: NWFRS026 TNS VALID VALUE = N IS PROHIBITED
014 NOTYP 015 TNS - Identifies the telephone number or consecutive range of telephone numbers for this request. 1, 10, A=Account level N=New Telephone N=New	the Number FIELD NOT SUPPORTED 1. If populated and vv = N and ((LNA not = C, N, X) and (position 2 of LSR.TOS not = D, E, J or position 4 of LSR.TOS not = F, R, W)) or EU.AAI does not = NEW ADDR, return error: NWFRS026 TNS VALID VALUE = N IS PROHIBITED
014 NOTYP 015 TNS - Identifies the telephone number or consecutive range of telephone numbers for this request. 1, 10, A=Account level N=New Telephone N=New	thange ne Number FIELD NOT SUPPORTED 1.If populated and vv = N and ((LNA not = C, N, X) and (position 2 of LSR.TOS not = D, E, J or position 4 of LSR.TOS not = F, R, W)) or EU.AAI does not = NEW ADDR, return error: NWFRS026 TNS VALID VALUE = N IS PROHIBITED
TNS - Telephone Numbers	1.If populated and vv = N and ((LNA not = C, N, X) and (position 2 of LSR.TOS not = D, E, J or position 4 of LSR.TOS not = F, R, W)) or EU.AAI does not = NEW ADDR, return error: NWFRS026 TNS VALID VALUE = N IS PROHIBITED
	2. If populated and dl = 1 and vv not = A, N, then return error:

Vers	ion: 9.30.	20 1				Effective: 05/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
016 017 018	S SPLD TERS - Terminal Numbers	Identifies the number for a non-lead line in a multiline hunt group or consecutive range of terminal	AN ,;-space	1-10		11.If populated and vv does not = A and ACT=Y, return error NWFRS107 TNS MUST = A WHEN ACT = Y Note: 1)The telephone number or range of telephone numbers populated in the TNS field MUST be valid telephone numbers. 2)For new services, the telephone numbers must be provided in response to the Pre-Order Direct TN Reservation (TXTYP=B). Telephone number reservation is required for all non-complex, new services. 3)Populating the field with any invalid telephone numbers is prohibited and the LSR will be rejected. FIELD NOT SUPPORTED FIELD NOT SUPPORTED 1.If populated and vv = N, then return error: NWFRS035 TERS = N IS PROHIBITED 2. If populated and (dl > 10 or dc not alpha, numeric, hyphen, space, comma, semicolon), then return error: NWFRS036 TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON	P P O
019	OTN - Out	numbers Identifies the	N	10-10		Note: 1.A pilot (lead) telephone number in the TNS field must accompany this field. 2.When this field is populated, the TNS field must not be ranged. 3.The first position is reserved for a terminal number indicator. 1. If not populated and LNA = X, then return error: NWFRS037	0
	Telephone Number	existing telephone number that is being changed				OTN IS REQUIRED 2.If populated and LNA does not = C,X,T, return error NWFRS038 OTN IS PROHIBITED 3. If populated and (dl not = 10 or dc not numeric), then return error: NWFRS039 OTN VALID VALUE = 10 NUMERIC	
019 a	EXKEY - Exchange Key	Identifies the Exchange Key of the new switch for Location Portability	AN	1-6		1. If populated and dl > 6, then return error: NWFRS040 EXKEY VALID LENGTH = 1-6	0
020	TSP - Telecommu	Indicates the provisioning and restoration	AN -	12-12	Format = XXXXXXXXXXX- XX	If populated and position 1 of LSR.TOS = 2, then return error: NWFRS041 TSP IS PROHIBITED	0

RS FORM

Vore	ion: 9.30.	20 1			Effective: 05/01/2020		
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
	nications Service Priority	priority as defined under the TSP Service Vendor Handbook.			(Note - X = alpha/numeric)	2. If populated and LNA = P, X, then return error: NWFRS042 TSP IS PROHIBITED WHEN LNA = P, X 3. If populated and valid format not XXXXXXXXXXXXXXX, then return error: NWFRS043 TSP VALID FORMAT = XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
021	SAN - Subscriber Authorizatio n Number	Identifies a number equivalent to the end user purchase order number.	AN & '*:,\$- #()." space	1-30		1.If populated and (dl > 30 or dc not = alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, period, quotation marks, space), then return error: NWFRS044 SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE Note: This may, at the option of the customer, be a requirement when providing service to some governmental agencies.	0
022	CKR - Customer Circuit Reference	Identifies the circuit number or sequential range of circuit numbers assigned by the customer.	AN	1-41		1.If populated and dl>41, return error NWFRS033 CKR CANNOT EXCEED 41 CHARACTERS Note: CKR is used by the customer as a cross-reference to the provider's circuit ID(s) and in many cases to identify the customer's end to end service.	0
023	ECCKT - Exchange	Identifies a provider's circuit identification.	AN /	1-41	TELEPHONE NUMBER FORMAT: Prefix/Service Code and modifier/NPA/NXX/XXXX/Termin	1. If populated and LNA = P, X, then return error: NWFRS045 ECCKT IS PROHIBITED	0

RS FORM

Vers	ion: 9.30.	20 1				Effective: 05/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
	Company Circuit ID				al Number (if applicable) This format may be up to 30 characters in length. SERIAL NUMBER FORMAT: Prefix/Service Code and Modifier/Serial Number/Suffix code/AP code/segment name (if applicable) This format may be up to 27 characters in length including space for depicting a range of numbers.	2. If populated and (dl > 41 or dc not alpha, numeric, virgule), then return error: NWFRS046 ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE Note: 1. The format of the field is defined by the provider. 2. All components within the ID should be delimited by virgules. 3. The layout of the field is defined by the COMMON LANGUAGE standards. 4. When a component of CLT or CLS is purposely omitted, the component should still be delimited and compressed to eliminate any spaces. 5. If all positions in a component of CLT or CLS are not populated, the component should be compressed to eliminate any spaces.	
024	RL - Reuse Loop	Identifies the desire to reuse the loop from an existing service arrangement for this request.	A	1-1	Y = Yes	1. If not populated and LNA = V and OECCKT is populated, then return error: NWFRS047 RL IS REQUIRED 2. If populated and LNA not = V, then return error: NWFRS048 RL IS PROHIBITED 3. If populated and vv not = Y, then return error: NWFRS049 RL VALID VALUE = Y	0
025	OECCKT - Out Exchange Company Circuit ID	Identifies the circuit identification that was previously provided to the old LSP/NSP-Switch by the NSP-Loop.	AN /	1-41	TELEPHONE NUMBER FORMAT: Prefix/Service Code and modifier/NPA/NXX/XXXX/Termin al Number (if applicable) This format may be up to 30 characters in length. SERIAL NUMBER FORMAT: Prefix/Service Code and Modifier/Serial Number/Suffix code/AP code/segment name (if applicable) This format may be up to 27 characters in length including space for depicting a range of numbers.	1. If not populated and RL is populated, then return error: NWFRS050 OECCKT IS REQUIRED 2. If populated and RL is not populated, then return error: NWFRS051 OECCKT IS PROHIBITED 3. If populated and (dl > 41 or dc not alpha, numeric, virgule), then return error: NWFRS052 OECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE Note: 1. The format of the field is defined by the provider. 2. All components within the ID should be delimited by virgules. 3. The layout of the field is defined by the COMMON LANGUAGE standards. 4. When a component of CLT or CLS is purposely omitted, the component should still be delimited and compressed to eliminate any spaces. 5. If all positions in a component of CLT or CLS are not populated, the component should be compressed to eliminate any spaces.	0
026	FPI - Freeze PIC Indicator	Identifies a request that PIC activity on the Working Telephone	А	1-1	A= Freeze LSP's IntraLATA PIC B= Freeze LSP's Inter & IntraLATA PIC	1. If populated and vv = R, S, T and LNA = N, T, then return error: NWFRS053 FPI VALID VALUE = R, S, T IS PROHIBITED WHEN LNA = N, T	0

RS FORM

Version: 9.30.20.1

Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
		Number (WTN) be restricted.			E= Freeze LSP's InterLATA PIC R= Remove InterLATA freeze	2. If populated and LNA = B, D, S, X, Y, Z, then return error: NWFRS054 FPI IS PROHIBITED	
					S= Remove IntraLATA freeze T= Remove Inter & IntraLATA freezes	3. If populated and vv not = A, B, E, R, S, T, then return error: NWFRS055 FPI VALID VALUE = A, B, E, R, S, T	
027	PIC - InterLATA Presubscript ion Indicator Code	Identifies the Presubscription Indicator Code (PIC) of the carrier the customer has selected for InterLATA traffic.	AN	2-4	Valid PIC Code None=NONE - Customer does not want to pre-subscribe. NC = Used in a conversion as is activity scenario or change activity when the PIC is not impacted.	 1.If populated and vv = NC and LNA = B, N, S, T, V, then return error: NWFRS056 PIC VALID VALUE = NC IS PROHIBITED 2.If not populated and LNA = N, P, T, V, return error NWFRS057 PIC IS REQUIRED 3. If populated and LNA = B, D, S, X, Y, then return error: NWFRS058 PIC IS PROHIBITED 4. If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not = numeric)), then return error: NWFRS059 PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC 5. If populated and vv = 0000, return error NWFRS134 PIC 0000 INVALID 	
028	LPIC - IntraLATA Presubscript ion Indicator Code	Identifies the Pre- subscription Indicator Code (PIC) of the carrier the customer has selected for IntraLATA traffic.	AN	2-4	Valid LPIC Code None=NONE - Customer does not want to pre-subscribe NC = Used in a conversion as is activity scenario or change activity when the PIC is not impacted	 1.If populated and vv = NC and LNA = B, N, S, T, V, then return error: NWFRS060 LPIC VALID VALUE = NC IS PROHIBITED 2.If not populated and LNA = N, P, T, V, return error NWFRS061 LPIC IS REQUIRED 3. If populated and LNA = B, D, S, X, Y, then return error: NWFRS062 LPIC IS PROHIBITED 4. If populated and vv not = NONE, NC and ((dl < 2 or > 4) or (dc not = numeric)), then return error: NWFRS063 LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC 5.If populated and vv = 6500 or 5448, return error NWFRS030 INVALID LPIC 	0
029	IPIC					FIELD NOT SUPPORTED	Р

RS FORM

Effective: 05/01/2020

Version: 9.30.20.1

VCIS						Ellective: 05/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
030	TC OPT - Transfer of Call Options	Identifies the type of transfer of call option the end user has requested.	A	1	N=None S=Standard T=Split Transfer of Calls	 If populated and vv not = N and LNA = X and LSR.AC = B, then return error NWFRS064 TC OPT VALID VALUE = N WHEN LNA = X and AC = B If not populated and LNA = D, X, then return error: NWFRS065 TC OPT IS REQUIRED If populated and LNA not = C, S, D, X, then return error: NWFRS066 TC OPT IS PROHIBITED If populated and vv does not = N, S, T, return error 	0
224	1541					NWFRS067 TC OPT VALID VALUE = N, S, T	
031	LEAN					FIELD NOT SUPPORTED	Р
032	TC TO PRI -	Identifies the	N	10-10		FIELD NOT SUPPORTED 1.If not populated and TC OPT = S, T, return error NWFRS068	P
	Transfer of Calls To Primary Number	telephone number to which calls are to be referred.	N			TC TO PRI IS REQUIRED 2.If populated and TC OPT does not = S, T, return error NWFRS069 TC TO PRI IS PROHIBITED 3. If populated and (dl not = 10 or dc not numeric), then return error: NWFRS070 TC TO PRI VALID VALUE = 10 NUMERIC	O
034	TC TO SEC - Transfer of Calls To Secondary Number	Identifies the secondary telephone number to which calls are to be referred.	N	10-10		1.If not populated and TC OPT = T, return error NWFRS077 TC TO SEC IS REQUIRED 2.If populated and TC OPT does not = T, return error NWFRS078 TC TO SEC IS PROHIBITED 3. If populated and (dl not = 10 or dc not numeric), then return error: NWFRS079 TC TO SEC VALID VALUE = 10 NUMERIC	0
035	TC PER - Transfer of Calls Period	Indicates the requested date that the transfer of calls, specified in the TC TO PRI field, is to be removed and the standard recorded announcement	N	8-8	CCYYMMDD CC - 00-99 YY - 00-99 MM - 01-12 DD - 01-31	 If populated and vv <, = LSR.DDD, then return error: NWFRS086 TC PER MUST BE GREATER THAN DESIRED DUE DATE If populated and TC TO PRI is not populated, then return error: NWFRS087 TC PER IS PROHIBITED If populated and valid format not = CCYYMMDD, then return error: NWFRS088 TC PER VALID FORMAT = CCYYMMDD 	0

RS FORM

Effective: 05/01/2020

Version: 9.30.20.1

		20.1		I =:	W 10	Lifective. US/U1/2020	T
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
		is to be provided.					
036	TCID - Transfer of Calls To	Identifies the sequence of telephone	N	1-2		1.If not populated and TC OPT = T, return error NWFRS071 TCID IS REQUIRED	0
	Identifier	numbers and names associated with split transfer of				2.If populated and TC OPT does not = T, return error NWFRS072 TCID IS PROHIBITED	
		calls.				3. If populated and vv not = 1, then return error: NWFRS073 TCID VALID VALUE FOR INITIAL OCCURRENCE = 1	
037	TC NAME - Transfer of Calls To	Identifies the name or special	AN ', space	1-35		1.lf not populated and TC OPT = T, return error NWFRS074 TC NAME IS REQUIRED	0
Calls To Name		instructions associated with TC TO to which calls are	ориос			2.If populated and TC OPT does not = T, return error NWFRS075 TC NAME IS PROHIBITED	
		referred when split of calls is requested				3. If populated and (dl > 35 or dc not = alpha, numeric, apostrophe, comma, hyphen, period, space), then return error: NWFRS076 TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD,	
007	TCID 2 -	Identifies the	N.I.	4.0		SPACE	
037 a	Transfer of Calls To	sequence of telephone	N	1-2		1.lf not populated and TC OPT = T, return error NWFRS080 TCID 2 IS REQUIRED	0
	Identifier 2	numbers and name associated with the Secondary				2.If populated and TC OPT does not = T, return error NWFRS081 TCID 2 IS PROHIBITED	
		Number (TC TO SEC) of split transfer of calls.				3. If populated and (dl > 2 or dc not numeric), then return error: NWFRS082 TCID 2 VALID VALUE = 1-2 NUMERIC	
		cano.				4. If populated and all occurrences of data are not sequential, then return error: NWFRS122 TCID 2 MUST BE SEQUENTIAL	
037 b	TCNAME 2 - Transfer of Calls To	Identifies the name or special	AN ',	1-35		1.lf not populated and TC OPT = T, return error NWFRS083 TCNAME2 IS REQUIRED	0
	Name 2	instructions associated with the TC TO SEC field to	space			2.If populated and TC OPT does not = T, return error NWFRS084 TCNAME2 IS PROHIBITED	
		which calls are to be referred when split				3. If populated and (dl > 35 or dc not = alpha, numeric, apostrophe, comma, hyphen, period, space), then return error:	
age 1	3 of 23		Ziply Fi	ber Local	Order Requirements: Vers	sion – 9.30.20.1 Revised: 03/16/2020	

RS FORM

Effective: 05/01/2020

Vers	ion: 9.30	.20.1				Effective: 05/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
		transfer of calls is requested				NWFRS085 TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE	
038	JK CODE					FIELD NOT SUPPORTED	Р
039	JK NUM					FIELD NOT SUPPORTED	Р
040	JK POS					FIELD NOT SUPPORTED	Р
041	JR					FIELD NOT SUPPORTED	Р
042	NIDR - NID Request	Indicates a request for a new Network Interface Device (NID).	A	1	Υ	1.lf populated and vv does not =Y, return error NWFRS126 NIDR VALID VALUE = Y	0
043	IWT	,				FIELD NOT SUPPORTED	Р
044	IWJK - Inside Wire Jack Code	Indicates the standard code for the type of jack requested for inside wiring.	AN	1-5		1.If populated and RS.LNA not = N, T, V, C, then return error: NWFRS123 IWJK IS PROHIBITED Note: 1.Familiarization with the FCC's registration rules is requisite for all parties involved for the determination of the proper jack code for a given registered service. Registered jacks used to terminate category 1 and 3 services begin with the designation "RJ". 2.When multiple lines are terminating in one multi-line jack, the IWJK and IWJQ fields should only be populated for the first line. Jacks may be ordered on a line by line basis.	
045	IWJQ - Inside Wire Jack Quantity	Indicates the number of jacks requested for inside wiring.	N	2	01-99	If populated and RS.IWJK not populated, then return error: NWFRS124 IWJQ IS PROHIBITED 2.If populated and vv is not in range 01-99, return error NWFRS147 IWJQ VALID RANGE = 01-99 Note: When multiple lines are terminating in one multi-line jack, the IWJK and IWJQ fields should only be populated for the first line. Jacks may be ordered on a line by line basis.	
046	SGNL					FIELD NOT SUPPORTED	Р
047	SSIG - Start Signaling	Identifies the type of start signaling requested	A	2-2	LS=Loop start GS=Ground start	1.lf populated and LSR.ACT = B, S, W, Y, then return error: NWFRS093 SSIG IS PROHIBITED 2. If populated and vv not = LS, GS, then return error:	0
	DI II OF					NWFRS094 SSIG VALID VALUE = LS, GS	
048	PULSE					FIELD NOT SUPPORTED	Р

RS FORM

11		00.4			E((('		
	<u>ion: 9.30.</u>					Effective: 05/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
049	LSCP - Local Service Provider Change Prohibited	Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.	A	1-1	A= Prohibit a change of current local service provider B= Remove the prohibition	 If populated and vv = B and LNA not = C, then return error: NWFRS095 LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C If populated and LNA = D, S, B, X, P, Y, then return error: NWFRS096 LSCP IS PROHIBITED If populated and vv not = A, B, then return error: NWFRS097 LSCP VALID VALUE = A, B Note: Invoking this option may require additional authorization or written permission 2. This field is used to freeze this line only. 	0
050	BA - Blocking Activity	Indicates the activity for the blocking of calls	A	1-1	A=Add D=Delete N=No change E=End state Z=Remove all blocking	1. If vv not = A and LNA = N, T, then return error: NWFRS098 BA VALID VALUE = A WHEN LNA = N, T 2. If not populated and LNA = N, T, V, then return error: NWFRS099 BA IS REQUIRED 3. If populated and LNA not = N, T, V, C, then return error: NWFRS100 BA IS PROHIBITED 4. If populated and vv does not = A, D, N, E, Z, then return error: NWFRS101 BA VALID VALUE = A, D, N, E, Z 5. If not populated and LNA does not = D,R,P and BLOCK is populated, return error NWFRS148 BA IS REQUIRED 6. If populated and LNA = S,Y,B, return error NWFRS140 BA IS PROHIBITED 7. If populated and vv = N and LNA = V, return error NWFRS127 BA=N PROHIBITED WHEN LNA=V	0
051	BLOCK - Block	Identifies the type of blocking on the telephone number.	AN	1		If not populated and BA = A, D, E, then return error: NWFRS102 BLOCK IS REQUIRED If populated and BA not = A, D, E, then return error: NWFRS103 BLOCK IS PROHIBITED	0

RS FORM

Vers	ion: 9.30.	20.1			Effective: 05/01/2020			
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P	
052 053 054	CC-ACT CC-NO CCT					3. If populated and (dl > 1 or dc not alpha, numeric), then return error: NWFRS104 BLOCK VALID VALUE = 1 ALPHA, NUMERIC Note: 1)Block options vary by state and not all blocks are available in every Central Office 2)To request no blocking, popoulate '1' in this field FIELD NOT SUPPORTED FIELD NOT SUPPORTED	P P	
055	FLI					FIELD NOT SUPPORTED	P	
056	DI					FIELD NOT SUPPORTED	P	
057	CCDD					FIELD NOT SUPPORTED	Р	
058	CNAM					FIELD NOT SUPPORTED	Р	
059	BSPRAO					FIELD NOT SUPPORTED	Р	
060	CFA					FIELD NOT SUPPORTED	Р	
060 a	OPRSVC					FIELD NOT SUPPORTED (NWFRS106)	Р	
061	FA - Feature Activity	Identifies the activity type for the feature	A	1-1	N=Add/Install C=Change to feature detail D=Disconnect V= Conversion to new LSP as specified	1. If populated and vv not = N, C, D and LSR.ACT = C and LSR.AC = B, C, D, E, then return error: NWFRS108 FA VALID VALUE = N, C, D 2. If populated and vv not = N, C, D and LNA = C, then return error: NWFRS109 FA VALID VALUE = N, C, D WHEN LNA = C 3. If populated and vv not = N and LNA = N, T, then return error: NWFRS110 FA VALID VALUE = N WHEN LNA = N, T 4. If populated and vv not = N, V and LNA = V, then return error: NWFRS111 FA VALID VALUE = N, V WHEN LNA = V 5. If populated and LSR.ACT = C and LNA = X and LSR.AC is not populated, then return error: NWFRS112 FA IS PROHIBITED 6. If populated and (LSR.ACT = B, S, Y or LNA = D, P, W), then return error: NWFRS113 FA IS PROHIBITED	0	

RS FORM

Version: 9.30.20.1 Effective: 05/01/2020

RS FORM

	1011. 3.30.	_			_	Elicotive. 00/01/2020	
Fld Nbr	Field Name	Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R/ O/ P
						7. If populated and vv not = N, C, D, V, then return error: NWFRS114 FA VALID VALUE = N, C, D, V	
						8. If populated and the vv=C, V, N and LNA=X return error NWFRS149 FA=C, V, N PROHIBITED WHEN LNA=X	
						9.If populated and vv=V and LNA=R, return error NWFRS150 FA=V PROHIBITED	
						10.If populated and vv=C and LNA=V, return error NWFRS151 FA=C PROHIBITED	
						11.If not populated and LNA does not = D,P and FEATURES is populated, return error NWFRS152 FA REQUIRED	
						12.If populated and vv does not = N,C,D,V and ACT does not = R, return error NWFRS153 FA VALID VALUE = N,C,D,V	
						13.If populated and vv = V and LNA=C,T, return error NWFRS154 FA=V PROHIBITED	
						Note: Valid entry of "C" is only to be used when making a change to a feature detail (e.g., call forward to number, ring cycle, etc.). When requesting a line service and equipment change, two iterations of the FA and FEATURE fields must be provided; one iteration will have FA = D to remove the existing line service and equipment code and the other iteration will have FA = N to add the new line service and equipment code.	
062	FEATURE - Feature Codes	Identifies the type of feature associated with the line.	AN +-#/*	1-6		If populated and FA is not populated, then return error: NWFRS115 FEATURE IS PROHIBITED	0
		ule lille.				2. If not populated and FA is populated, then return error: NWFRS116 FEATURE IS REQUIRED	
						3. If populated and (dl > 6 or dc not = alpha, numeric, plus sign, hyphen, number sign, virgule, asterick), then return error: NWFRS117 FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK	

<u> </u>	ion: 9.30.20.1				Effective: 05/01/2020	
Fld Nbr	Field Name Definition	Data Char	Field Length	Valid Values / Range of Values	Conditional Business Rules / Edits	R O P
063	FEATURE DETAIL - Feature Detail Teature Detail Feature associated with the line	AN & '*:, \$ - #()%.+ ";/space	1-200		1. If populated and FEATURE is not populated, then return error: NWFRS118 FEATURE DETAIL IS PROHIBITED 2. If populated and (dl > 200 or dc not = alpha, numeric, ampersand, apostrophe, asterisk, colon, comma, dollar sign, hyphen, number sign, parentheses, percent sign, period, plus sign, quotation marks, semicolon, space, virgule, equal sign, then return error: NWFRS119 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS, SEMICOLON, SPACE, VIRGULE, EQUAL SIGN Note: 1. Fixed Call Forwarding requires 'TN=NPANXXXXXX' or 'TN=XNPANXXXXXX' in Feature Detail. 'X's' represent numeric values. If the Call Forward to TN is a long distance TN, a '1' must precede the 10 digit numeric Call Forward TN value In some states, (i.e. California), "1" may precede the ten digit telephone number. 2. When ordering Smart Ring the FA must = N, the Smart Ring S&E code is populated in the FEATURE field, and the FEATURE DETAIL field must contain 'TN = N or blank'. We will return the Smart Ring number in the REMARKS field of the LR. If changing the Smart Ring number, the FA must = C, the Smart Ring S&E code is populated in the FEATURE field, and the FEATURE DETAIL field must contain 'TN = N or blank'. We will return the Smart Ring number in the REMARKS field of the LR. If converting an established Smart Ring number, the FA must = V, the Smart Ring S&E code is populated in the FEATURE DETAIL field must contain TN = Existing Smart Ring to keep the same Smart Ring Number. If Blank, We will assign a new Smart Ring Number. We will return the Smart Ring Number on the LR.	C

RS FORM

Version: 9.30.20.1

APPENDIX A: ERROR MESSAGE TABLE

RS FORM Effective: 05/01/2020

Error Message Number	Error Message Text
NWFRS001	RSQTY IS REQUIRED
NWFRS002	RSQTY VALID VALUE = 1-5 NUMERIC
NWFRS003	LOCNUM IS REQUIRED
NWFRS004	LOCNUM VALID VALUE = 1-3 NUMERIC
NWFRS005	LNUM IS REQUIRED
NWFRS006	LNUM VALID VALUE = 1-5 NUMERIC
NWFRS007	NPI VALID VALUE = C, F WHEN NPDI = D
NWFRS008	NPI VALID VALUE = E, F WHEN NPDI = B
NWFRS009	NPI IS REQUIRED
NWFRS010	NPI IS PROHIBITED
NWFRS011	LNA IS REQUIRED
NWFRS012	WHEN LNA IS C AT LEAST ONE OF THE FIELDS FPI, PIC, LPIC, LSCP, OTN, BLOCK, TSP, FA MUST BE POPULATED
NWFRS013	LNA VALID VALUE = B, Y WHEN ACT = B
NWFRS014	LNA VALID VALUE = C, N, D, P, T, X, Z
NWFRS015	LNA VALID VALUE = C, X WHEN ACT = C AND AC = B, C
NWFRS016	LNA VALID VALUE = N WHEN ACT = N, T
NWFRS017	LNA VALID VALUE = S WHEN ACT = S
NWFRS018	LNA VALID VALUE = N, V, W, D WHEN ACT = V
NWFRS019	LNA VALID VALUE = C, D, N, X WHEN ACT = M
NWFRS020	LNA VALID VALUE = Y WHEN ACT = Y
NWFRS021	LNA VALID VALUE = T IS PROHIBITED FOR ACTIVITY
NWFRS022	
NWFRS023	LNA VALID VALUE = Z IS PROHIBITED
NWFRS024	LNA VALID VALUE = B, C, D, N, P, S, T, V, W, X, Y, Z
NWFRS025	
NWFRS026	TNS VALID VALUE = N IS PROHIBITED
NWFRS027	TNS VALID VALUE = A, N WHEN LENGTH = 1
NWFRS028	TNS VALID FORMAT = XXXXXXXXXX, XXXXXXXXXXXXXX
NWFRS029	TNS VALID LENGTH = 1, 10, 15
NWFRS030	INVALID LPIC
NWFRS031	LNA VALID VALUE = N, T WHEN ACT = T
NWFRS032	
NWFRS033	CKR CANNOT EXCEED 41 CHARACTERS
NWFRS034	
NWFRS035	TERS = N IS PROHIBITED
NWFRS036	TERS VALID VALUE = 1-10 ALPHA, NUMERIC, HYPHEN, SPACE, COMMA, SEMICOLON
NWFRS037	OTN IS REQUIRED
NWFRS038	OTN IS PROHIBITED
Page 19 of 23	Ziply Fiber Local Order Requirements: Version – 9.30.20.1 Revised: 03/16/2020

RS FORM Effective: 05/01/2020 Version: 9.30.20.1 Error Message Number | Error Message Text OTN VALID VALUE = 10 NUMERIC NWFRS039 NWFRS040 EXKEY VALID LENGTH = 1-6 NWFRS041 TSP IS PROHIBITED NWFRS042 TSP IS PROHIBITED WHEN LNA = P, X TSP VALID FORMAT = XXXXXXXXXXXXXX NWFRS043

NWFRS044	SAN VALID VALUE = 1-30 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN,
	HYPHEN, NUMBER SIGN, PARENTHESES, PERIOD, QUOTATION MARKS, SPACE
NWFRS045	ECCKT IS PROHIBITED
NWFRS046	ECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
NWFRS047	RL IS REQUIRED

NWFRS048	RL IS PROHIBITED
NWFRS049	RL VALID VALUE = Y
NWFRS050	OECCKT IS REQUIRED
NWFRS051	OECCKT IS PROHIBITED

NWFRS052	OECCKT VALID VALUE = 1-41 ALPHA, NUMERIC, VIRGULE
NWFRS053	FPI VALID VALUE = R, S, T IS PROHIBITED WHEN LNA = N, 1

NWFRS054	FPI IS PROHIBITED
NWFRS055	FPI VALID VALUE = A, B, E, R, S, T
NWFRS056	PIC NC PROHIBITED

14771 110000	
NWFRS057	PIC IS REQUIRED
NWFRS058	PIC IS PROHIBITED

NWFRS059	PIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFRS060	LPIC VALID VALUE = NC IS PROHIBITED

NWFRS061	LPIC IS REQUIRED
NWFRS062	LPIC IS PROHIBITED

NWFRS063	LPIC VALID VALUE = NONE, NC OR 2-4 NUMERIC
NWFRS064	TC OPT VALID VALUE = N WHEN LNA = X and AC = B

NWFRS064	TC OPT VALID VALUE = N WE
NWFRS065	TC OPT IS REQUIRED
NWFRS066	TC OPT IS PROHIBITED

NWFRS067	TC OPT VALID VALUE = N, S, T
14771 110007	10 01 1 WEID WEGE = 11, 0, 1
NWFRS068	TC TO PRI IS REQUIRED

NWFRS069	TC TO PRI IS PROHIBITED
NULLED COTO	TO TO DDI \

NWFR5070	TO TO PRI VALID VALUE = 10 NO
NWFRS071	TCID IS REQUIRED

14441110071	
NWFRS072	TCID IS PROHIBITED

NWFRS073	TCID VALID VALUE FOR INITIAL OCCURRENCE =

NWFRS074	TC NAME IS REQUIRED
NWFRS075	TC NAME IS PROHIBITED

14771110070	TO TO MINE TO TROTTED
NWFRS076	TC NAME VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NIM/EDC077	TO TO SEC IS DECUIDED

NWFRS077 TC TO SEC IS REQUIRED

Version: 9.30.20.1

RS FORM Effective: 05/01/2020

	3.30.20.	
Error Messa	ige Number	Error Message Text
NWFRS078		TC TO SEC IS PROHIBITED
NWFRS079		TC TO SEC VALID VALUE = 10 NUMERIC
NWFRS080		TCID 2 IS REQUIRED
NWFRS081		TCID 2 IS PROHIBITED
NWFRS082		TCID 2 VALID VALUE = 1-2 NUMERIC
NWFRS083		TCNAME 2 IS REQUIRED
NWFRS084		TCNAME 2 IS PROHIBITED
NWFRS085		TCNAME 2 VALID VALUE = 1-35 ALPHA, NUMERIC, APOSTROPHE, COMMA, HYPHEN, PERIOD, SPACE
NWFRS086		TC PER MUST BE GREATER THAN DESIRED DUE DATE
NWFRS087		TC PER IS PROHIBITED
NWFRS088		TC PER VALID FORMAT = CCYYMMDD
NWFRS089		COIN MUST BE ON STAND ALONE ACCOUNT
NWFRS090		RCF MUST BE ON STAND ALONE ACCOUNT
NWFRS091		
NWFRS092		
NWFRS093		SSIG IS PROHIBITED
NWFRS094		SSIG VALID VALUE = LS, GS
NWFRS095		LSCP VALID VALUE = B IS PROHIBITED WHEN LNA IS NOT C
NWFRS096		LSCP IS PROHIBITED
NWFRS097		LSCP VALID VALUE = A, B
NWFRS098		BA VALID VALUE = A WHEN LNA = N, T
NWFRS099		BA IS REQUIRED
NWFRS100		BA IS PROHIBITED
NWFRS101		BA VALID VALUE = A, D, N, E, Z
NWFRS102		BLOCK IS REQUIRED
NWFRS103		BLOCK IS PROHIBITED
NWFRS104		BLOCK VALID VALUE = 1 ALPHA, NUMERIC
NWFRS105		LNA VALID VALUE = N,D,T WHEN DDDO IS POPULATED
NWFRS106		OPRSVC IS PROHIBITED
NWFRS107		TNS MUST = A WHEN ACT = Y
NWFRS108		FA VALID VALUE = N, C, D
NWFRS109		FA VALID VALUE = N, C, D WHEN LNA = C
NWFRS110		FA VALID VALUE = N WHEN LNA = N, T
NWFRS111		FA VALID VALUE = N, V WHEN LNA = V
NWFRS112		FA IS PROHIBITED
NWFRS113		FA IS PROHIBITED
NWFRS114		FA VALID VALUE = N, C, D, V
NWFRS115		FEATURE IS PROHIBITED
NWFRS116		FEATURE IS REQUIRED
NWFRS117		FEATURE VALID VALUE 1-6 ALPHA, NUMERIC, PLUS SIGN, HYPHEN, NUMBER SIGN, VIRGULE, ASTERISK
Dags 21 of 20	2	Ziele Eilen Lood Orden Berningen auto Versier 0.20.20.1 Period. 02/16/2020

Version: 9.30.20.1

Effective: 05/01/2020 Error Message Number | Error Message Text NWFRS118 FEATURE DETAIL IS PROHIBITED NWFRS119 FEATURE DETAIL VALID VALUE = 1-200 ALPHA, NUMERIC, AMPERSAND, APOSTROPHE, ASTERISK, COLON, COMMA, DOLLAR SIGN, HYPHEN, NUMBER SIGN, PARENTHESES, PERCENT SIGN, PERIOD, PLUS SIGN, QUOTATION MARKS. SEMICOLON, SPACE, VIRGULE, EQUAL SIGN TSP VALID VALUE FOR POSITION 11 MUST = E, 0, 1, 2, 3, 4, 5 NWFRS120 TSP VALID VALUE FOR POSITION 12 MUST = 0, 1, 2, 3, 4, 5 NWFRS121 NWFRS122 TCID 2 MUST BE SEQUENTIAL NWFRS123 **IWJK IS PROHIBITED** NWFRS124 **IWJQ IS PROHIBITED** NWFRS125 TNS IS REQUIRED NWFRS126 NIDR VALID VALUE = Y NWFRS127 BA=N PROHIBITED WHEN LNA=V NWFRS128 LNA CANNOT = N.D WHEN REQTYP=EB. ACT=V AND POSITION 2 OF TOS=C NWFRS129 NWFRS130 TNS MUST BE DIFFERENT THAN OTN NWFRS131 NWFRS132 TNS CANNOT = N NWFRS133 TNS REQUIRED NWFRS134 PIC 0000 INVALID NWFRS135 NWFRS136 NWFRS137 NWFRS138 NWFRS139 NWFRS140 **BA IS PROHIBITED** NWFRS141 NWFRS142 NWFRS143 NWFRS144 NWFRS145 NWFRS146 NWFRS147 IWJQ VALID RANGE = 01-99 NWFRS148 BA IS REQUIRED NWFRS149 FA=C. V. N PROHIBITED WHEN LNA=X

RS FORM

Revised: 03/16/2020

NWFRS150

NWFRS151

NWFRS152

NWFRS153 NWFRS154 **FA=V PROHIBITED**

FA=C PROHIBITED

FA=V PROHIBITED

FA VALID VALUE = N.C.D.V

FA REQUIRED

NWF Local Business Rules Version: 9.30.20.1

RS FORM

Effective: 05/01/2020

Revised: 03/16/2020

APPENDIX B - CHANGE CONTROL LOG

DATE	FIELD	REVISION NUMBER	CHANGE
12/01/2019	All	N/A	Initial Version 9.30.20.1 – NWF Local Business Rules
02/20/2020	All	N/A	Add Production Effective Date to Header
03/16/2020	n/a	n/a	Rebranded as Ziply Fiber